

Date of last issue: 16.12.2024	Version 5.6	Print Date 28.03.2025
Revision Date: 23.01.2025		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Sika<sup>®</sup> Stixall<sup>®</sup>

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

#### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		,
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	<b>Preventior</b> P261 P272	: Avoid breathing mist or vapours. Contaminated work clothing should not be



Date of last issue: 16.12.2024 Revision Date: 23.01.2025	Version 5.6		Print Date 28.03.2025
	P280	allowed out of the workplace. Wear protective gloves.	
	Response:		
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	Set medical
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

### Hazardous components which must be listed on the label:

trimethoxyvinylsilane N-(3-(trimethoxysilyl)propyl)ethylenediamine

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
trimethoxyvinylsilane	2768-02-7	Flam. Liq. 3; H226	>= 2,5 - < 5
Contains:	220-449-8	Acute Tox. 4; H332	
tetramethyl orthosilicate <= 0,2 %	01-2119513215-52-	Skin Sens. 1B; H317	
	XXXX		
		Acute toxicity esti-	
		mate	
		Acute inhalation tox-	
		icity (vapour): 16,8	
		mg/l	



e of last issue: 16.12.2024 /ision Date: 23.01.2025	Version 5	Print Date 28.03.202	
N-(3- (trimethoxysi- lyl)propyl)ethylenediamine Contains: N,N'-bis[3- (trimethoxysi- lyl)propyl]ethylenediamine <= 3 % 1-(2-Aminoethyl)-2,2-dimethoxy-1- aza-2-silacyclopentane <= 3 %	1760-24-3 217-164-6 01-2119970215-39- XXXX	Eye Dam. 1; H318 Skin Sens. 1B; H317 STOT SE 3; H335 (Respiratory system)	>= 0,5 - < 1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and e	effects, both acute and delayed
Symptoms	:	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks	:	sensitising effects
		May cause an allergic skin reaction.
4.3 Indication of any immediate Treatment	e mec :	dical attention and special treatment needed Treat symptomatically.



Date of last issue: 16.12.2024 Revision Date: 23.01.2025		Version 5.6	Print Date 28.03.20
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chemextinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are kn	own
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	eathing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	neasures	
•		e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary	sewer system.
6 3 Methods and material for co	ntai	nment and cleaning up	
	:	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust).	sand, silica gel,
Methods for cleaning up		Keep in suitable, closed containers for disp	oosal.
			oosal.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth-
	ma, allergies, chronic or recurrent respiratory disease should



Date of last issue: 16.12.2024 Revision Date: 23.01.2025		Version 5.6	Print Date 28.03.2025
		not be employed in any process in which this m used.	-
		Smoking, eating and drinking should be prohibit plication area.	ed in the ap-
		Follow standard hygiene measures when handl products	ing chemical
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-velace. Store in accordance with local regulation	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components		CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
<b>o</b>	 		 		

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC		
		Further information: Indicative, Identifies the possibility of cant uptake through the skin         TWA       200 ppm       GB         266 mg/m3       GB         Further information: Can be absorbed through the skin.         signed substances are those for which there are concerned dermal absorption will lead to systemic toxicity.				
	signed subst					
		STEL	250 ppm 333 mg/m3	GB EH40		



Date of last issue: 16.12.2024	Version 5.6	Print Date 28.03.2025
Revision Date: 23.01.2025		

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

## 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection :	No special measures required.		
Environmental exposure controls			
General advice :	Do not flush into surface water or sanitary sewer system.		

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: p	quid aste arious
Odour	: a	lcohol-like
Melting point/ range / Freez- ing point	: N	o data available
Boiling point/boiling range	: N	o data available



Date of last issue: 16.12.2024 Revision Date: 23.01.2025		Version 5.6	Print Date 28.03.2025
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	plosive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 61 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	210.000 mPa.s	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,45 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Date of last issue: 16.12.2024 Revision Date: 23.01.2025	Version 5.6	Print Date 28.03.2025
9.2 Other information		
No data available		
SECTION 10: Stability and re	ctivity	
10.1 Reactivity		
No dangerous reaction know	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically sta	le.	
10.3 Possibility of hazardous re	ctions	
Hazardous reactions	: No hazards to be specially mention	oned.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	roducts	
Hazardous decomposition products	: methanol	

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

. I mormation on hazard classes as defined in Regulation (EC) No		
Acute toxicity Not classified due to lack o <u>Components:</u>	f data.	
trimethoxyvinylsilane: Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50: 3.540 mg/kg



Print Date 28.03.2025

# Sika<sup>®</sup> Stixall<sup>®</sup>

Date of last issue: 16.12.2024

Revision Date: 23.01.2025		
N-(3-(trimethoxysilyl)	propyl)ethylenediamine:	
Acute oral toxicity	: LD50 Oral (Rat): 2.995 mg/kg	
Skin corrosion/irritation Not classified due to lac		
Serious eye damage/e Not classified due to lac	-	
Respiratory or skin se	nsitisation	
<b>Skin sensitisation</b> May cause an allergic s	kin reaction.	
Respiratory sensitisat Not classified due to lac		
Germ cell mutagenicit Not classified due to lac	-	
Carcinogenicity Not classified due to lac	k of data.	
Reproductive toxicity Not classified due to lac	k of data.	
STOT - single exposu Not classified due to lac		
STOT - repeated expo Not classified due to lac		
Aspiration toxicity Not classified due to lac	k of data.	
11.2 Information on other	nazards	
Endocrine disrupting	properties	
Product:		
Assessment	: The substance/mixture does not of ered to have endocrine disrupting REACH Article 57(f) or Commission (EU) 2017/2100 or Commission R levels of 0.1% or higher.	properties according to ion Delegated regulation

Version 5.6



Date of last issue: 16.12.2024
Revision Date: 23.01.2025

Version 5.6

Print Date 28.03.2025

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment
------------

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation

t

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should



Date of last issue: 16.12.2024 Revision Date: 23.01.2025		Version 5.6	Print Date 28.03.202
	at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.		
SECTION 14: Transport inform	na	ion	
14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangerous	go	od	
14.6 Special precautions for use Not applicable	r		
<b>14.7 Maritime transport in bulk a</b> Not applicable for product as a		-	



Date of last issue: 16.12.2024	Version 5.6	Print Date 28.03.2025
Revision Date: 23.01.2025		

## **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 20: dioctyltin oxide		
			Number on list 52: 1,2- Benzenedicarboxylic acid, di-C9-11- branched alkyl esters, C10-rich		
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation			Not applicable		
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)		:	Not applicable		
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable		
Regulation (EC) on substances that deplete the ozone layer		:	Not applicable		
UK REACH List of substances subject to authorisation (Annex XIV)		:	Not applicable		
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation		:	Not applicable		
Control of Major Accident Hazards Regulations		Not	t applicable		
2015 (COMAH) Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties				
			of 24 November 2010 on industrial pollution prevention and control)		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.



Date of last issue: 16.12.2024 Revision Date: 23.01.2025	Version 5.6	Print Date 28.03.2025
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	<ul> <li>Environmental Protection Act 1990 &amp; S Health and Safety at Work Act 1974 &amp; Control of Substances Hazardous to H (COSHH)</li> <li>May be subject to the Control of Major Regulations (COMAH), and amendme</li> </ul>	Subsidiary Regulations lealth Regulations Accident Hazards

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements			
H226 :	Flammable liquid and vapour.		
H317 :	May cause an allergic skin reaction.		
H318 :	Causes serious eye damage.		
H332 :	Harmful if inhaled.		
H335 :	May cause respiratory irritation.		
Full text of other abbreviations	5		
Acute Tox. :	Acute toxicity		
Eye Dam. :	Serious eye damage		
Flam. Liq. :	Flammable liquids		
Skin Sens. :	Skin sensitisation		
STOT SE :	Specific target organ toxicity - single exposure		
2006/15/EC :	Europe. Indicative occupational exposure limit values		
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits		
2006/15/EC / TWA :	Limit Value - eight hours		
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL :	Short-term exposure limit (15-minute reference period)		
ADR :	European Agreement concerning the International Carriage of		
646	Dangerous Goods by Road		
CAS :	Chemical Abstracts Service		
DNEL :	Derived no-effect level		
EC50 :	Half maximal effective concentration		
GHS : IATA :	Globally Harmonized System		
IMDG :	International Air Transport Association		
LD50	International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at		
	once, which causes the death of 50% (one half) of a group of test animals)		
LC50 :	Median lethal concentration (concentrations of the chemical in		
	air that kills 50% of the test animals during the observation		
	period)		
MARPOL :	International Convention for the Prevention of Pollution from		
	Ships, 1973 as modified by the Protocol of 1978		
OEL :	Occupational Exposure Limit		
PBT :	Persistent, bioaccumulative and toxic		



Date of last issue: 16.12.2024 Revision Date: 23.01.2025		Version 5.6	Print Date 28.03.2025		
PNEC REACH	:	Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency			
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative			
Further information					
Classification of the mixtu	ire:	Classi	fication procedure:		
Skin Sens. 1	H3	317 Calcula	ation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN